


TECHNICAL SPECIFICATIONS


ELITE FENCES AND GATES



MODERNO
FENCING & GATES

Model ELITE P100


Fences



CUT ANGLE

45°

90°



FENCE SPAN

Fence construction

Lenght to: 3000mm

Construction frame: 40x20mm

Metal profile: 40x20x2mm

Space: 80mm

Below profile: 60x60x3mm






Mounting: on poles below ground surfaces 190mm , or on top of concrete foundation

Model ELITE P100

WICKET



ACCESSORIES



FILL THE WICKET

Wicket construction
Construction frame: 60x60mm
Metal profile: 40x20x2mm
Space: 80mm
Below profile: 60x60x3mm
Hinges: 2pcs
Locinox lock: 1pc
Locinox keep: 1pc
Locinox Handles: 1 pair
Post with plate: wicket + 60mm
Post profile: 80x80x3mm

WICKED WEIGHT

H/L	1000mm	1200mm	1500mm
1200	45g	50kg	58kg
1500	53kg	59kg	68kg
1800	60kg	69kg	79kg

Model ELITE P100

SWING GATE








GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	122kg	133kg	149kg	160kg	175kg
1500	145kg	159kg	177kg	190kg	209kg
1800	169kg	184kg	206kg	221kg	243kg

POST DIMENSIONS

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	100/100/4	100/100/4	120/120/4	150/150/4	150/150/4
1500	100/100/4	120/120/4	150/150/4	150/150/4	150/150/4
1800	120/120/4	150/150/4	150/150/4	150/150/4	150/150/4

ACCESSORIE




FILL THE WICKET

Wicket construction
Construction frame: 60x60mm
Metal profile: 40x20x2mm
Space: 80mm
Below profile: 60x60x3mm
Hinges: 2pcs
Locinox bolt ant cather: 1 pair

Model ELITE P100

Slide gates



GATE LENGHT

Passage	Total lenght
3500	4900
3600	5040
3700	5180
3800	5320
3900	5460
4000	5600
4100	5740
4200	5880
4300	6020
4400	6160
4500	6300
4600	6440

FILL THE GATE

Passage	Total lenght
4700	6580
4800	6720
4900	6860
5000	7000
5100	7140
5200	7280
5300	7420
5400	7560
5500	7700
5600	7840
5700	7980
5800	8120

Gate construction
Construction frame: 60x60mm
Metal profile: 40x20x2mm
Space: 80mm
Below profile: 60x60x3mm
Bottom profile: 80x80x5mm
Post profile: 80x80x3mm
Supporting wheel: 1pc
Restraining Wheel: 1 pc
Carriers: 2pcs – 8 bearing
Catching: 1pc
Top cathing: 1pc
Hook for restraining wheel: 1pc
Preparing for operator: 1 pc
Gate Counterbalance: +40%
Post with plate: Gate + 100mm

GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm	6000mm
1200	210kg	236kg	263kg	290kg	317kg	343kg
1500	239kg	269kg	299kg	330kg	360kg	391kg
1800	268kg	302kg	336kg	370kg	404kg	438kg

ACCESSORIES



Carriers



Catching



Top catching



Supporting wheel



Restraining Wheel



Preparing for operator




Lock LSKZ



Keep SSKZ QF


COLOR*



* If the color is not from color pallet, price increase 5%.

Model ELITE P200


Fences



CUT ANGLE

45°

90°



FENCE SPAN






Fence construction
Lenght to: 3000mm
Construction frame: 60x40mm
Metal profile: 60x40x1,5-2mm
Space: 100mm
Below profile: 60x60x3mm
Mounting: on poles below ground surfaces 190mm , or on top of concrete foundation

Model ELITE P200

WICKET



ACCESSORIES



FILL THE WICKET

Wicket construction
Construction frame: 60x60mm
Metal profile: 60x40x2mm
Space: 100mm
Below profile: 60x60x3mm
Hinges: 2pcs
Locinox lock: 1pc
Locinox keep: 1pc
Locinox Handles: 1 pair
Post with plate: wicket + 60mm
Post profile: 80x80x3mm

WICKED WEIGHT

H/L	1000mm	1200mm	1500mm
1200	50kg	55kg	64kg
1500	59kg	64kg	75kg
1800	67kg	74kg	86kg

Model ELITE P200

SWING GATE








GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	134kg	151kg	161kg	178kg	203kg
1500	160kg	181kg	193kg	214kg	244kg
1800	187kg	211kg	225kg	249kg	285kg

POST DIMMENSIONS

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	100/100/4	100/100/4	120/120/4	150/150/4	150/150/4
1500	100/100/4	120/120/4	150/150/4	150/150/4	150/150/4
1800	120/120/4	150/150/4	150/150/4	150/150/4	150/150/4

ACCESSORIES




FILL THE WICHED

Wicket construction
Construction frame: 60x60mm
Metal profile: 60x40x1,5-2mm
Space: 100mm
Below profile: 60x60x3mm
Hinges: 2pcs
Locinox bolt ant cather: 1 pair

Model ELITE P200

Slide gates



GATE LENGHT

Passage	Total lenght
3500	4900
3600	5040
3700	5180
3800	5320
3900	5460
4000	5600
4100	5740
4200	5880
4300	6020
4400	6160
4500	6300
4600	6440

FILL THE GATE

Passage	Total lenght
4700	6580
4800	6720
4900	6860
5000	7000
5100	7140
5200	7280
5300	7420
5400	7560
5500	7700
5600	7840
5700	7980
5800	8120

Gate construction
Construction frame: 60x40mm
Metal profile: 60x40x2mm
Space: 100mm
Below profile: 60x60x3mm
Bottom profile: 80x80x5mm
Post profile: 80x80x3mm
Supporting wheel: 1pc
Restraining Wheel: 1 pc
Carriers: 2pcs – 8 bearing
Catching: 1pc
Top cathing: 1pc
Hook for restraining wheel: 1pc
Preparing for operator: 1 pc
Gate Counterbalance: +40%
Post with plate: Gate + 100mm

GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm	6000mm
1200	229kg	261kg	293kg	320kg	353kg	380kg
1500	262kg	299kg	337kg	368kg	405kg	436kg
1800	296kg	338kg	381kg	416kg	458kg	493kg

ACCESSORIES



Carrier



Catchin



Top



Supporting



Restraining Wheel



Preparing for operator




Lock LSKZ



Keep SSKZ


AVAILABLE COLOR*



* If the color is not from the color pallet, price increase 5%.

Model ELITE P300


Fences



CUT ANGLE

45°

90°



FENCE SPAN

Fence construction
Lenght to: 3000mm
Construction frame: 60x40mm
Metal profile: 60x40x1,5-2mm
Space: 80mm
Below profile: 60x60x3mm
Mounting: on poles below ground surfaces 190mm , or on top of concrete foundation

Model ELITE P300

WICKET



ACCESSORIES



Lock LAKQ U2



EL Lock LEKQ



Keep SAKL



EL Keep



Handles



Hinges

FILL THE WICKET

Wicket construction

Construction frame: 60x40mm

Metal profile: 60x40x1,5-2mm

Space: 80mm

Below profile: 60x40x3mm

Hinges: 2pcs

Locinox lock: 1pc

Locinox keep: 1pc

Locinox Handles: 1 pair

Post with plate: wicket + 60mm


Post profile: 80x80x3mm

WICKET WEIGHT

H/L	1000mm	1200mm	1500mm
1200	54kg	58kg	71kg
1500	63kg	69kg	84kg
1800	73kg	79kg	97kg

Model ELITE P300

SWING GATE








GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	149kg	166kg	183kg	200kg	217kg
1500	179kg	199kg	220kg	241kg	262kg
1800	209kg	233kg	257kg	282kg	306kg

POST DIMENSIONS

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	100/100/4	100/100/4	120/120/4	150/150/4	150/150/4
1500	100/100/4	120/120/4	150/150/4	150/150/4	150/150/4
1800	120/120/4	150/150/4	150/150/4	150/150/4	150/150/4

ACCESSORIES




FILL THE WICKET

Wicket construction
Construction frame: 60x60mm
Metal profile: 60x40x1,5-2mm
Space: 80mm
Below profile: 60x60x3mm
Hinges: 2pcs
Locinox bolt ant cather: 1 pair

Model ELITE P300

Slide gates



GATE LENGHT

Passage	Total lenght
3500	4900
3600	5040
3700	5180
3800	5320
3900	5460
4000	5600
4100	5740
4200	5880
4300	6020
4400	6160
4500	6300
4600	6440

FILL THE GATE

Passage	Total lenght
4700	6580
4800	6720
4900	6860
5000	7000
5100	7140
5200	7280
5300	7420
5400	7560
5500	7700
5600	7840
5700	7980
5800	8120

Gate construction
Construction frame: 60x40mm
Metal profile: 60x40x1,5-2mm
Space: 80mm
Below profile: 60x60x3mm
Bottom profile: 80x80x5mm
Post profile: 80x80x3mm
Supporting wheel: 1pc
Restraining Wheel: 1 pc
Carriers: 2pcs – 8 bearing
Catching: 1pc
Top cathing: 1pc
Hook for restraining wheel: 1pc
Preparing for operator: 1 pc
Gate Counterbalance: +40%
Post with plate: Gate + 100mm

GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm	6000mm
1200	254kg	286kg	318kg	351kg	383kg	415kg
1500	294kg	331kg	368kg	406kg	443kg	480kg
1800	334kg	376kg	419kg	461kg	504kg	546kg

ACCESSORIES



Carriers



Catching



Top catching



Supporting wheel



Restraining Wheel



Preparing for operator




Lock LSKZ



Keep SSKZ QF


COLOR*



* If the color not from color pallet, price increase 5%.

Model ELITE P400

Fences



CUT ANGLE

45°

90°



FENCE SPAN

Fence construction
Lenght to: 3000mm
Construction frame: 80x20mm
Metal profile: 80x20x2mm
Space: 80mm
Below profile: 80x60x3mm
Mounting: on poles below ground surfaces 190mm , or on top of concrete foundation

Model ELITE P400

WICKET



ACCESSORIES



Lock LAKQ U2



EL Lock LEKQ



Keep SAKL



EL Keep



Handles



Hinges

FILL THE WICKET

Wicket construction

Construction frame: 80x60mm

Metal profile: 80x20x2mm

Space: 80mm

Below profile: 80x60x3mm

Hinges: 2pcs

Locinox lock: 1pc

Locinox keep: 1pc

Locinox Handles: 1 pair

Post with plate: wicket + 60mm

Post profile: 80x80x3mm

WICKED WEIGHT

L/H	1000mm	1200mm	1500mm
1200	68kg	76kg	89kg
1500	80kg	91kg	106kg
1800	93kg	105kg	124kg

Model ELITE P400

SWING GATE








GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	178kg	196kg	220kg	238kg	263kg
1500	215kg	236kg	266kg	287kg	318kg
1800	251kg	276kg	312kg	337kg	373kg

POST DIMMENSIONS

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	100/100/4	100/100/4	120/120/4	150/150/4	150/150/4
1500	100/100/4	120/120/4	150/150/4	150/150/4	150/150/4
1800	120/120/4	150/150/4	150/150/4	150/150/4	150/150/4

ACCESSORIES




FILL THE WICKET

Wicket construction
Construction frame: 80x60mm
Metal profile: 80x20x2mm
Space: 80mm
Below profile: 80x60x3mm
Hinges: 2pcs
Locinox bolt ant cather: 1 pair

Model ELITE 400

Slide gates



GATE LENGHT

Passage	Total lenght
3500	4900
3600	5040
3700	5180
3800	5320
3900	5460
4000	5600
4100	5740
4200	5880
4300	6020
4400	6160
4500	6300
4600	6440

FILL THE GATE

Passage	Total lenght
4700	6580
4800	6720
4900	6860
5000	7000
5100	7140
5200	7280
5300	7420
5400	7560
5500	7700
5600	7840
5700	7980
5800	8120

Gate construction
Construction frame: 80x60mm
Metal profile: 80x20x2mm
Space: 80mm
Below profile: 80x60x3mm
Bottom profile: 80x80x5mm
Post profile: 80x60x3mm
Supporting wheel: 1pc
Restraining Wheel: 1 pc
Carriers: 2pcs – 8 bearing
Catching: 1pc
Top cathing: 1pc
Hook for restraining wheel: 1pc
Preparing for operator: 1 pc
Gate Counterbalance: +40%
Post with plate: Gate + 100mm

GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm	6000mm
1200	287kg	325kg	363kg	401kg	439kg	477kg
1500	334kg	378kg	423kg	467kg	511kg	555kg
1800	403kg	450kg	496kg	542kg	588kg	635kg

ACCESSORIES



Carrier



Catchin



Top



Supporting



Restraining Wheel



Preparing for operator




Lock LSKZ



Keep SSKZ


AVAILABLE COLOR*



* If the color is not from the color pallet, price increase 5%.

Model ELITE P500


Fences



CUT ANGLE

45°

90°



FENCE SPAN






Fence construction
Lenght to: 2000mm
Construction frame: 80x20mm
Metal profile: 80x20x2mm
Space: 10mm
Below profile: 80x60x3mm
Mounting: on poles below ground surfaces 190mm , or on top of concrete foundation

Model ELITE P500

WICKET



ACCESSORIES



FILL THE WICKET


Wicket construction
Construction frame: 80x60mm
Metal profile: 80x20x2mm
Space: 10mm
Below profile: 80x60x3mm
Hinges: 2pcs
Locinox lock: 1pc
Locinox keep: 1pc
Locinox Handles: 1 pair
Post with plate: wicket + 60mm
Post profile: 80x80x3mm

WICKED WEIGHT

L/H	1000mm	1200mm	1500mm
1200	71kg	80kg	96kg
1500	85kg	95kg	115kg
1800	79kg	87kg	104kg

Model ELITE P500

SWING GATE








GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	207kg	232kg	264kg	289kg	314kg
1500	251kg	281kg	220kg	351kg	381kg
1800	295kg	330kg	377kg	413kg	449kg

POST DIMMENSIONS

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	100/100/4	100/100/4	120/120/4	150/150/4	150/150/4
1500	100/100/4	120/120/4	150/150/4	150/150/4	150/150/4
1800	120/120/4	150/150/4	150/150/4	150/150/4	150/150/4

ACCESSORIES




FILL THE WICKET

Wicket construction
Construction frame: 80x60mm
Metal profile: 80x20x2mm
Space: 10mm
Below profile: 80x60x3mm
Hinges: 2pcs
Locinox bolt ant cather: 1 pair

Model ELITE P500

Slide gates



GATE LENGHT

Passage	Total lenght
3500	4900
3600	5040
3700	5180
3800	5320
3900	5460
4000	5600
4100	5740
4200	5880
4300	6020
4400	6160
4500	6300
4600	6440

FILL THE GATE

Passage	Total lenght
4700	6580
4800	6720
4900	6860
5000	7000
5100	7140
5200	7280
5300	7420
5400	7560
5500	7700
5600	7840
5700	7980
5800	8120

Gate construction
Construction frame: 80x20mm
Metal profile: 80x20x2mm
Space: 10mm
Below profile: 80x60x3mm
Bottom profile: 80x80x5mm
Post profile: 80x80x3mm
Supporting wheel: 1pc
Restraining Wheel: 1 pc
Carriers: 2pcs – 8 bearing
Catching: 1pc
Top cathing: 1pc
Hook for restraining wheel: 1pc
Preparing for operator: 1 pc
Gate Counterbalance: +40%
Post with plate: Gate + 100mm

GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm	6000mm
1200	333kg	376kg	424kg	467kg	510kg	553kg
1500	391kg	442kg	499kg	549kg	600kg	650kg
1800	472kg	526kg	587kg	641kg	695kg	749kg

ACCESSORIES



Carrier



Catchin



Top



Supporting



Restraining Wheel



Preparing for operator




Lock LSKZ



Keep SSKZ


AVAILABLE COLOR*



* If the color is not from the color pallet, price increase 5%.

Model ELITE P600


Fences



CUT ANGLE

45°

90°



FENCE SPAN

Fence construction

Lenght to: 2000mm

Construction frame: 80x20x2mm

Metal profile: 80x20x2mm

Space: 10mm

Below profile: 80x60x3mm

Mounting: on poles below ground surfaces 190mm , or on top of concrete foundation

Model ELITE P600

WICKET



ACCESSORIES



Lock LAKQ U2



EL Lock LEKQ U4



Keep SAKL



EL Keep



Handles



Hinges

FILL THE WICKET

Wicket construction

Construction frame: 80x60mm

Metal profile: 80x20x2mm

Space: 10mm

Below profile: 80x60x3mm

Hinges: 2pcs

Locinox lock: 1pc

Locinox keep: 1pc

Locinox Handles: 1 pair

Post with plate: wicket + 60mm

Post profile: 100x100x3mm

WICKED WEIGHT

L/H	1000mm	1200mm	1500mm
1200	71kg	80kg	96kg
1500	85kg	95kg	115kg
1800	79kg	87kg	104kg

Model ELITE P600

SWING GATE







GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	207kg	232kg	264kg	289kg	314kg
1500	251kg	281kg	320kg	351kg	381kg
1800	295kg	330kg	377kg	413kg	449kg

POST DIMENSIONS

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	100/100/4	100/100/4	120/120/4	150/150/4	150/150/4
1500	100/100/4	120/120/4	150/150/4	150/150/4	150/150/4
1800	120/120/4	150/150/4	150/150/4	150/150/4	150/150/4

ACCESSORIES




FILL THE WICKET

Wicket construction
Construction frame: 80x60mm
Metal profile: 80x20x2mm
Space: 10mm
Below profile: 80x60x3mm
Hinges: 2pcs
Locinox bolt ant cather: 1 pair

Model ELITE P600

Slide gates



GATE LENGHT

Passage	Total lenght
3500	4900
3600	5040
3700	5180
3800	5320
3900	5460
4000	5600
4100	5740
4200	5880
4300	6020
4400	6160
4500	6300
4600	6440

FILL THE GATE

Passage	Total lenght
4700	6580
4800	6720
4900	6860
5000	7000
5100	7140
5200	7280
5300	7420
5400	7560
5500	7700
5600	7840
5700	7980
5800	8120

Gate construction
Construction frame: 80x60mm
Metal profile: 80x20x2mm
Place: 10mm
Below profile: 80x60x3mm
Bottom profile: 80x80x5mm
Post profile: 80x80x3mm
Supporting wheel: 1pc
Restraining Wheel: 1 pc
Carriers: 2pcs – 8 bearing
Catching: 1pc
Top cathing: 1pc
Hook for restraining wheel: 1pc
Preparing for operator: 1 pc
Gate Counterbalance: +40%

GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm	6000mm
1200	333kg	376kg	424kg	467kg	510kg	553kg
1500	391kg	442kg	499kg	549kg	600kg	650kg
1800	472kg	526kg	587kg	641kg	695kg	749kg

ACCESSORIES



Carriers



Catching



Top catching



Supporting wheel



Restraining Wheel



Preparing for operator




Lock LSKZ



Keep SSKZ QF


AVAILABLE COLOR*



* If the color not from color pallet, price increase 5%.

Model ELITE P700

Fences



CUT ANGLE

45°

90°



FENCE SPAN






Fence construction
Lenght to: 3000mm
Construction frame: 80x40x2mm
Metal profile: 80x40x2mm
Space: 100mm
Below profile: 80x60x3mm
Mounting: on poles below ground surfaces 190mm , or on top of concrete foundation

Model ELITE P700

WICKET



ACCESSORIES



FILL THE WICKET

Wicket construction
Construction frame: 80x60mm
Metal profile: 80x40x2mm
Space: 100mm
Below profile: 80x60x3mm
Hinges: 2pcs
Locinox lock: 1pc
Locinox keep: 1pc
Locinox Handles: 1 pair
Post with plate: wicket + 60mm
Post profile: 80x80x3mm

WICKED WEIGHT

H/L	1000mm	1200mm	1500mm
1200	58kg	63kg	74kg
1500	68kg	75kg	88kg
1800	78kg	86kg	101kg

Model ELITE P700

SWING GATE








GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	159kg	179kg	191kg	212kg	232kg
1500	190kg	215kg	229kg	254kg	279kg
1800	222kg	251kg	268kg	297kg	326kg

POST DIMENSIONS

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	100/100/4	100/100/4	120/120/4	150/150/4	150/150/4
1500	100/100/4	120/120/4	150/150/4	150/150/4	150/150/4
1800	120/120/4	150/150/4	150/150/4	150/150/4	150/150/4

ACCESSORIES




FILL THE WICKET

Wicket construction
Construction frame: 80x60mm
Metal profile: 80x40x2mm
Space: 100mm
Below profile: 80x60x3mm
Hinges: 2pcs
Locinox bolt ant cather: 1 pair

Model ELITE P700

Slide gates



GATE LENGHT

Passage	Total lenght
3500	4900
3600	5040
3700	5180
3800	5320
3900	5460
4000	5600
4100	5740
4200	5880
4300	6020
4400	6160
4500	6300
4600	6440

FILL THE GATE

Passage	Total lenght
4700	6580
4800	6720
4900	6860
5000	7000
5100	7140
5200	7280
5300	7420
5400	7560
5500	7700
5600	7840
5700	7980
5800	8120

Gate construction
Construction frame: 80x60mm
Metal profile: 80x40x2mm
Space: 100mm
Below profile: 80x60x3mm
Bottom profile: 80x80x5mm
Post profile: 80x80x3mm
Supporting wheel: 1pc
Restraining Wheel: 1 pc
Carriers: 2pcs – 8 bearing
Catching: 1pc
Top cathing: 1pc
Hook for restraining wheel: 1pc
Preparing for operator: 1 pc
Gate Counterbalance: +40%
Post with plate: Gate + 100mm

GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm	6000mm
1200	261kg	298kg	335kg	366kg	403kg	434kg
1500	301kg	344kg	387kg	423kg	466kg	502kg
1800	342kg	391kg	440kg	481kg	530kg	570kg

ACCESSORIES



Carrier



Catchin



Top



Supporting



Restraining Wheel



Preparing for operator



Lock LSKZ



Keep SSKZ


AVAILABLE COLOR*



* If the color is not from the color pallet, price increase 5%.

Model ELITE P800


Fences



CUT ANGLE

45°

90°



FENCE SPAN





Fence construction
Lenght to: 3000mm
Construction frame: 80x40x2mm
Metal profile: 80x40x2mm
Space: 80mm
Below profile: 80x60x3mm
Mounting: on poles below ground surfaces 190mm , or on top of concrete foundation

Model ELITE800

WICKET



ACCESSORIES



FILL THE WICKET

Wicket construction
Construction frame: 80x60mm
Metal profile: 80x40x2mm
Space: 80mm
Below profile: 80x60x3mm
Hinges: 2pcs
Locinox lock: 1pc
Locinox keep: 1pc
Locinox Handles: 1 pair
Post with plate: wicket + 60mm
Post profile: 80x80x3mm

WICKED WEIGHT

H/L	1000mm	1200mm	1500mm
1200	62kg	68kg	83kg
1500	73kg	80kg	98kg
1800	85kg	93kg	114kg

Model ELITE800

SWING GATE



GATE WEIGHT






H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	176kg	197kg	217kg	238kg	259kg
1500	212kg	237kg	262kg	287kg	312kg
1800	248kg	277kg	307kg	336kg	366kg

POST DIMMENSIONS

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	100/100/4	100/100/4	120/120/4	150/150/4	150/150/4
1500	100/100/4	120/120/4	150/150/4	150/150/4	150/150/4
1800	120/120/4	150/150/4	150/150/4	150/150/4	150/150/4

ACCESSORIES


FILL THE WICKET



Wicket construction
Construction frame: 80x60mm
Metal profile: 80x40x2mm
Space: 80mm
Below profile: 80x60x3mm
Hinges: 2pcs
Locinox bolt ant cather: 1 pair

Model ELITE P800

Slide gates



GATE LENGHT

Passage	Total lenght
3500	4900
3600	5040
3700	5180
3800	5320
3900	5460
4000	5600
4100	5740
4200	5880
4300	6020
4400	6160
4500	6300
4600	6440

Passage	Total lenght
4700	6580
4800	6720
4900	6860
5000	7000
5100	7140
5200	7280
5300	7420
5400	7560
5500	7700
5600	7840
5700	7980
5800	8120






FILL THE GATE

Gate construction
Construction frame: 80x60mm
Metal profile: 80x40x2mm
Space: 80mm
Below profile: 80x60x3mm
Bottom profile: 80x80x5mm
Post profile: 80x80x3mm
Supporting wheel: 1pc
Restraining Wheel: 1 pc
Carriers: 2pcs – 8 bearing
Catching: 1pc
Top cathing: 1pc
Hook for restraining wheel: 1pc
Preparing for operator: 1 pc
Gate Counterbalance: +40%
Post with plate: Gate + 100mm


GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm	6000mm
1200	291kg	328kg	365kg	403kg	440kg	477kg
1500	339kg	382kg	426kg	469kg	512kg	555kg
1800	388kg	437kg	486kg	536kg	585kg	635kg

ACCESSORIES




COLOR*



* If the color not from color pallet, price increase 5%.

Model ELITE P900



Fences



CUT ANGLE

45°

90°



FENCE SPAN






Fence construction
Lenght to: 2000mm
Construction frame: 80x40x2mm
Metal profile: 80x40x2mm
Space: 10mm
Below profile: 100x60x3mm
Mounting: on poles below ground surfaces 190mm , or on top of concrete foundation

Model ELITE P900

WICKET



ACCESSORIES



FILL THE WICKET


Wicket construction
Construction frame: 100x60mm
Metal profile: 80x40x2mm
Space: 10mm
Below profile: 100x60x3mm
Hinges: 2pcs
Locinox lock: 1pc
Locinox keep: 1pc
Locinox Handles: 1 pair
Post with plate: wicket + 60mm
Post profile: 80x80x3mm

WICKED WEIGHT

H/L	1000mm	1200mm	1500mm
1200	74kg	84kg	108kg
1500	88kg	101kg	130kg
1800	102kg	117kg	152kg

Model ELITE P900

SWING GATE








GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	184kg	205kg	226kg	247kg	268kg
1500	221kg	246kg	272kg	297kg	323kg
1800	258kg	288kg	318kg	348kg	378kg

POST DIMENSIONS

H/L	3500mm	4000mm	4500mm	5000mm	5500mm
1200	100/100/4	100/100/4	120/120/4	150/150/4	150/150/4
1500	100/100/4	120/120/4	150/150/4	150/150/4	150/150/4
1800	120/120/4	150/150/4	150/150/4	150/150/4	150/150/4

ACCESSORIES




FILL THE WICKET

Wicket construction
Construction frame: 100x60mm
Metal profile: 80x40x2mm
Place: 10mm
Below profile: 100x60x3mm
Hinges: 2pcs
Locinox bolt ant cather: 1 pair

Model ELITE P900

Slide gates



GATE LENGHT

Passage	Total lenght
3500	4900
3600	5040
3700	5180
3800	5320
3900	5460
4000	5600
4100	5740
4200	5880
4300	6020
4400	6160
4500	6300
4600	6440

FILL THE GATE

Passage	Total lenght
4700	6580
4800	6720
4900	6860
5000	7000
5100	7140
5200	7280
5300	7420
5400	7560
5500	7700
5600	7840
5700	7980
5800	8120

Gate construction
Construction frame: 100x60mm
Metal profile: 80x40x2mm
Space: 10mm
Below profile: 100x60x3mm
Bottom profile: 80x80x5mm
Post profile: 80x80x3mm
Supporting wheel: 1pc
Restraining Wheel: 1 pc
Carriers: 2pcs – 8 bearing
Catching: 1pc
Top cathing: 1pc
Hook for restraining wheel: 1pc
Preparing for operator: 1 pc
Gate Counterbalance: +40%
Post with plate: Gate + 100mm

GATE WEIGHT

H/L	3500mm	4000mm	4500mm	5000mm	5500mm	6000mm
1200	342kg	392kg	436kg	480kg	523kg	549kg
1500	401kg	460kg	512kg	564kg	615kg	674kg
1800	461kg	530kg	589kg	648kg	707kg	776kg

ACCESSORIES



Carrier



Catchin



Top



Supporting



Restraining Wheel



Preparing for operator




Lock LSKZ



Keep SSKZ

AVAILABLE COLOR*



* If the color is not from the color pallet, price increase 5%.